

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Page 1/9

Product identifier	
Trade name Recommended use of the	Konudur Robopress 07 - Komponente A
chemical and restrictions on use	No further relevant information available.
Application of the substance / the mixture	
Details of the supplier of the	-
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department:	msds@mc-bauchemie.de
Hazard identification	
	ce or mixture
Classification of the substan	swallowed.
Classification of the substan Acute Tox. 4 H302 Harmful if s Eye Irrit. 2 H319 Causes se Label elements	swallowed. rious eye irritation.
Classification of the substan Acute Tox. 4 H302 Harmful if s Eye Irrit. 2 H319 Causes se Label elements GHS label elements	swallowed. rious eye irritation. The product is classified and labelled according to the Globa Harmonised System (GHS).
Classification of the substan Acute Tox. 4 H302 Harmful if s Eye Irrit. 2 H319 Causes se Label elements GHS label elements Hazard pictograms	swallowed. rious eye irritation. The product is classified and labelled according to the Globa
Classification of the substan Acute Tox. 4 H302 Harmful if s Eye Irrit. 2 H319 Causes se Label elements GHS label elements Hazard pictograms	swallowed. rious eye irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07
Classification of the substan Acute Tox. 4 H302 Harmful if s Eye Irrit. 2 H319 Causes se Label elements GHS label elements Hazard pictograms Signal word Hazard-determining components of labelling:	swallowed. rious eye irritation. The product is classified and labelled according to the Globa Harmonised System (GHS). GHS07 Warning Polypropylene glycol H302 Harmful if swallowed.
Eye Irrit. 2 H319 Causes se Label elements GHS label elements Hazard pictograms Signal word Hazard-determining	swallowed. rious eye irritation. The product is classified and labelled according to the Glob Harmonised System (GHS). GHS07 Warning Polypropylene glycol



Page 2/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

	8220	(Contd. of page 1)
	P330	Rinse mouth.
	P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/ attention.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazards		C C C C C C C C C C C C C C C C C C C
· Results of PBT and vPvB ass	essment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

3 Composition and information of the ingredients of the hazardous chemical

- Chemical characterisation: Mixtures
- **Description:** Mixture consisting of the following components.

[.] Dangerous compo	nents:		
CAS: 25322-69-4 P	olypropylene glycol	Acute Tox. 4, H302	30-60%
CAS: 25214-63-5 et	thylenediamine, propoxylated	Eye Irrit. 2, H319	30-60%
Additional informat	tion For the wording of the listed hazar	d phrases refer to section	on 16.

4 First-aid measures

General information	Remove, decontaminate and dispose of soiled, soaked clothing
	and shoes immediately.
After inhalation	Remove person to fresh air, keep warm, allow to rest; if breathing is difficult, seek medical attention.
After skin contact	In case of contact with skin, preferably wash with polyethylene glycol-based cleaner or clean with plenty of warm water and soap. Consult a doctor in case of skin reactions.
After eye contact	Rinse the eyes with open eyelids for a sufficiently long time (at least 10 minutes) with water that is as lukewarm as possible. Consult an ophthalmologist.
fter swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.
nformation for doctor	
Most important symptoms and effects, both acute and	
delayed	Information for the doctor: The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary. (Contd. on page 3)



Page 3/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

 Indication of any immediate medical attention and special treatment needed No information available. (Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- Special hazards arising from
- the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:
- No special measures required.

6 Accidental release measures		
· Personal precautions, protective equipment and		
emergency procedures	Not required.	
 Environmental precautions: 	Prevent material from reaching sewage system, holes and cellars.	
• Methods and material for		
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders,	

• **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and storage

· Handling

• **Precautions for safe handling** Ensure sufficient air exchange and/or extraction in the work areas. Air extraction is required for spray application.

For solid products: Avoid dust formation and dust deposits.

Air limit values mentioned in section 8 must be monitored.

At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people.

For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours.

Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing immediately.

(Contd. on page 4)

ΜY



Page 4/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

		(Contd. of page
· Condi	tions for safe storage	<u>,</u>
	ing any	·
	patibilities	Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance reasons can be found in our technical data sheet.
- Storag	<i>je</i>	
	rements to be met by	
	ooms and containers r information about	: Store only in the original container.
	e conditions:	None.
· Storag	je class	10
· Specif	ic end use(s)	No further relevant information available.
Expo	sure controls and	personal protection
Слро		
	onal information abo	
design	n of technical system	<i>s:</i> No further data; see section 7.
	ol parameters	
	onents with critical that require	
	oring at the workplac	e: The product does not contain any relevant quantities of materia
	ing at the nonprae	with critical values that have to be monitored at the workplace.
DNEL	5	
CAS: 2	25214-63-5 ethylened	iamine, propoxylated
Derma	I DNEL 13.9 mg/kg	n bw/day (ArL)
Inhalat	ive DNEL 98 mg/m³ ((ArL)
PNEC	S	
CAS: 2	25214-63-5 ethylened	iamine, propoxylated
PNEC	70 mg/l (Kla)	
	0.0085 mg/l (Mew)	
	0.085 mg/l (Freshwat	er)
PNEC	0.0183 mg/kg dwt (Bo	od)
	0.0193 mg/kg dwt (Ma	arine water sediment)
	0.193 mg/kg dwt (Fre	sh water sediment)
Additi	onal information:	The lists that were valid during the compilation were used as basi
Expos	ure controls	
Person	nal protective equipn	nent
	al protective and	
hygier	nic measures	Keep away from food, drink and animal feed.
		Remove soiled, soaked clothing immediately. Wash hands before breaks and at the end of work.
		Avoid contact with eyes and skin.
Breath	ning equipment:	Respiratory protection required at insufficiently ventilate workplaces and when working with splashes. Fresh air masks or (Contd. on page



Page 5/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

	(Contd. of page
	combination filters A2-P2 (EN529) are recommended for shore
	term work.
	If applicable, further recommendations for respiratory protection
	can be found in the appendix.
	In case of hypersensitivity of the respiratory tract (asthma, chron
	bronchitis), handling of the product is not recommended.
 Protection of hands: 	Suitable materials for protective gloves; EN 374:
	Butyl rubber, nitrile rubber, chloroprene rubber (neoprene).
	Note: suitable materials that provide sufficient protection for
	industrial cleaning with aprotic polar solvents (according to IUPA
	definition): butyl rubber.
	In case of prolonged or frequently repeated contact, a glove with
	protection class of 5 or higher is recommended (breakthrough tin
	greater than 240 minutes according to EN374). For short-ter
	contact, a glove with a protection class of 3 or higher
	recommended (breakthrough time greater than 60 minute
	according to EN374).
	The thickness of the material is not the only criterion for the level
	protection of a glove against a chemical substance. The protection
	effect also depends to a large extent on the type of glove materia
	Depending on the type and material, the thickness must be mo
	than 0.35 mm to ensure adequate protection in the event
	prolonged and frequent contact. Exceptions to this rule are mul
	layer gloves, which guarantee sufficient protection even with
	thickness of less than 0.35 mm during prolonged wear. Other glow
	materials with a thickness of less than 0.35 mm only provid
	sufficient protection for short periods of wear.
	For solvent-free products:
	Example:
	Polychloroprene - CR: thickness ≥0.5mm; breakthrough tin
	<i>≥</i> 480min.
	Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tin
	>480min.
	Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min
	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tin
	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tin ≥480min.
Matarial of slaves	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tin ≥480min. Recommendation: Dispose of contaminated gloves.
· Material of gloves	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tin ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR
[.] Material of gloves	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tin ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR
· Material of gloves	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR
· Material of gloves	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR
-	Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR
· Material of gloves · Penetration time of glove material	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM
Penetration time of glove	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min.
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim ≥480min.
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim ≥480min. Butyl rubber - IIR: thickness ≥0.5mm; breakthrough tim ≥480min.
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim ≥480min. Butyl rubber - IIR: thickness ≥0.5mm; breakthrough tim ≥480min. Butyl rubber - IIR: thickness ≥0.5mm; breakthrough tim ≥480min.
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim
Penetration time of glove	 Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough tim ≥480min. Recommendation: Dispose of contaminated gloves. Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM Polychloroprene - CR: thickness ≥0.5mm; breakthrough tim ≥480min. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough tim ≥480min. Butyl rubber - IIR: thickness ≥0.5mm; breakthrough tim ≥480min. Butyl rubber - IIR: thickness ≥0.5mm; breakthrough tim ≥480min.



Page 6/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

· Body protection:

(Contd. of page 5) Use chemical-resistant protective clothing. In case of hypersensitivity of the skin, handling the product is not recommended.

9 Physical and chemical prope	erties	
· Information on basic physical and · General Information	chemical properties	
· Appearance:		
Form:	Fluid	
Colour:	Yellow	
· Smell:	Characteristic	
· pH-value:	Not determined.	
 Change in condition Melting point/freezing point Initial boiling point and boiling ratio 	Not determined ange 105 °C	
· Flash point:	>200 °C	
· Auto-ignition temperature	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
· Steam pressure:	Not determined.	
· Density at 20 °C	1.06 g/cm³	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity · Reactivity · Chemical stability · Thermal decomposition /

- conditions to be avoided: · Possibility of hazardous
- reactions
- · Conditions to avoid
- · Incompatible materials:

No further relevant information available.

No decomposition if used according to specifications.

No dangerous reactions known No further relevant information available. No further relevant information available.

(Contd. on page 7)

MY



Page 7/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

(Contd. of page 6)

M١

Trade name Konudur Robopress 07 - Komponente A

Hazardous decomposition products:

No dangerous decomposition products known

1 Toxicological information	on
 Information on toxicological Acute toxicity 	effects
· LD/LC50 values that are relevant	vant for classification:
CAS: 25322-69-4 Polypropyle	ene glycol
Oral LD50 1000-<2000 mg	n/kg (rat)
Dermal LD50 >2000 mg/kg (ra	abbit)
CAS: 25214-63-5 ethylenedia	mine, propoxylated
Oral LD50 >2000 mg/kg (r	at)
Dermal LD50 >2000 mg/kg (r	abbit)
Primary irritant effect: Serious eye damage or eye	
irritation	Irritant effect.
 Respiratory / skin sensitization Additional toxicological information: 	No sensitizing effect known.
πιστηατιση:	The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Harmful Irritant

12 Ecological information

Aquatic toxi	city:		
CAS: 25322-	69-4 Polyp	ropylene glycol	
	LC50/48h	>100 mg/l (Leucidus idus)	
	EC50/48h	>100 mg/l (Daphnia magna)	
	EC0	>100 mg/l (Desmodesmus subspicatus)	
CAS: 25214-	63-5 ethyle	nediamine, propoxylated	
Sensitisation	EL50	>100 mg/l (Daphnia magna)	
	EC50/72h	35 mg/l (algae)	
	EC50	1400 mg/l (Bak)	
	LC0/48h	2200 mg/l (Leucidus idus)	
	LC50/48h	4500 mg/l (Leucidus idus)	
Persistence	and degra	dability No further relevant information available.	
		ental systems:	
Bioaccumula	ative poten	<i>tial</i> No further relevant information available.	(Contd. on nora
			(Contd. on page



Page 8/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

	(Contd. of page 7)
· Mobility in soil	No further relevant information available.
· Additional ecological info	rmation:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
· Results of PBT and vPvB	assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
· Other adverse effects	No further relevant information available.

13 Disposal information

- Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	

(Contd. on page 9)



Page 9/9

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 10.12.2024

Version number 30

Revision: 07.12.2024

Trade name Konudur Robopress 07 - Komponente A

(Contd. of page 8)

MY

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· EHS reference list

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous
- substances ANNEX I None of the ingredients is listed. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

specification sheet: Contact:	Environment protection department.
Abbreviations and acronyms: * Data compared to the previous version altered.	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses proute (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Eye Irrit. 2: Serious eye damage or eye irritation – Category 2