

Page 1/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.05.2024 Version number 24 Revision: 26.05.2024

1 Identification of the hazardous chemical and of the supplier

· Product identifier

• Trade name ombran MHP-SP 3000

Recommended use of the chemical and restrictions on

use

No further relevant information available.

· Application of the substance / the mixture

/ the mixture Coating material

Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: msds@mc-bauchemie.de

2 Hazard identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally

Harmonised System (GHS).

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

· Hazard-determining

components of labelling: Portland cement

Calcium sulfoaluminate clinker Fly ash Portland cement

• **Hazard statements** H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause allergic skin reaction. H335 May cause respiratory irritation.

(Contd. on page 2)



Page 2/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.05.2024 Version number 24 Revision: 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 1)

Precautionary statements P261 Avoid breathing dust/fume/ gas/mist/vapours/

spray.

P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition and information of the ingredients of the hazardous chemical

· Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:		
CAS: 14808-60-7	Quartz (SiO2)	30-60%
CAS: 65997-15-1		≥20-≤30%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 7778-18-9	calcium sulphate, natural	<2.5%
	Fly ash Portland cement	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
	Calcium sulfoaluminate clinker	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• After inhalation In case of unconsciousness bring patient into stable side position

for transport.

• After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing In case of persistent symptoms consult doctor.

- MY



Page 3/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.05.2024 Version number 24 Revision: 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

· Special hazards arising from

the substance or mixture

No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and

emergency procedures Not required.

Environmental precautions: No special measures required.

· Methods and material for

containment and cleaning up: Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

Handling

· Precautions for safe handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

Storage class 13

8 Exposure controls and personal protection

· Additional information about

design of technical systems: No further data; see section 7.

(Contd. on page 4)





Safety Data Sheet according to P.U.(A) 310/2013

Revision: 26.05.2024 Printing date 26.05.2024 Version number 24

Trade name ombran MHP-SP 3000

(Contd. of page 3)

· Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quartz (SiO2)

PEL (Malaysia) Long-term value: 0.1* mg/m³

*Pecahan ternafaskan

CAS: 65997-15-1 Portland cement

PEL (Malaysia) Long-term value: 10 mg/m³ CAS: 7778-18-9 calcium sulphate, natural PEL (Malaysia) Long-term value: 10 mg/m³

· DNELs

CAS: 65997-15-1 Portland cement

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 7778-18-9 calcium sulphate, natural

DNEL 1.52 mg/kg bw/Tag (ArL)

Inhalative DNEL 21.17 mg/m³ (ArL)

PNECs

CAS: 7778-18-9 calcium sulphate, natural

PNEC 100 mg/l (Kla)

· Exposure controls

· Personal protective equipment

General protective and

· Additional information:

hygienic measures Keep away from foodstuffs, beverages and food.

> Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

In case of brief exposure or low pollution or when application is Breathing equipment:

performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing

The lists that were valid during the compilation were used as basis.

apparatus that is independent of circulating air.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

(Contd. on page 5)



Page 5/8

Safety Data Sheet according to P.U.(A) 310/2013

Revision: 26.05.2024 Printing date 26.05.2024 Version number 24

Trade name ombran MHP-SP 3000

Not required.

· Body protection: Protective work clothing. (Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Eye protection:

Form: Powder Colour: Light grey · Smell: Odourless

· pH-value at 20 °C: 11.4

· Change in condition

Melting point/freezing point Not determined Initial boiling point and boiling range 2230 °C

· Flash point: Not applicable

· Auto-ignition temperature Product is not selfigniting.

· Explosive properties: Product is not explosive.

· Steam pressure at 1732 °C: 13.5 hPa

· Density Not determined

· Solubility in / Miscibility with

Water: Partly miscible

· Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

· Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided:

· Possibility of hazardous

reactions

· Conditions to avoid · Incompatible materials: No decomposition if used according to specifications.

No dangerous reactions known

No further relevant information available. No further relevant information available.

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.05.2024 Version number 24 Revision: 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 5)

Hazardous decomposition

products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)
Inhalative LC50/4 h 5 mg/l (rat)

CAS: 7778-18-9 calcium sulphate, natural

 Oral
 LD50
 >1581 mg/kg (rat)

 Dermal
 NOAEL
 790 mg/kg (rat)

 Inhalative
 LC50/4 h
 >2.61 mg/l (rat)

Primary irritant effect:

· Skin corrosion or irritation

· Serious eye damage or eye

irritation

Respiratory / skin sensitization

· Additional toxicological

information:

Irritant for skin and mucous membranes.

Strong irritant with the danger of severe eye injury.

Sensitization possible by skin contact.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for

Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h >79 mg/l (fish) EC50 >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- Bioaccumulative potential
 Mobility in soil
 No further relevant information available.
 No further relevant information available.
- · Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to P.U.(A) 310/2013

Version number 24 Revision: 26.05.2024 Printing date 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 6)

· Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal information

· Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transportation information

14 Transportation information		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

Safety Data Sheet according to P.U.(A) 310/2013

Printing date 26.05.2024 Version number 24 Revision: 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

specification sheet: Environment protection department.

· Contact:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion or irritation - Category 2

Eye Dam. 1: Serious eye damage or eye irritation – Category 1

Skin Sens. 1: Skin sensitization - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* * Data compared to the previous version altered.